

TECHNICAL SHEET


Conceived as an evolution of the Wonder and Storm collections, Hail is a ceiling lamp providing downward directional light. A long and essential metal stem opens up into a magical shape - a little bell. With its minimal and well-balanced shape it can be used either individually or be repeated in free multiple configurations.



| | |
|--------------------|--------------------------------|
| | 2304-20 |
| Mounting | Suspension |
| Environment | Indoor - Dry Location |
| Materials | Metal |
| Voltage | 350mA |
| Source | LED 4W- CRI=90 |
| Lumen | 169lm (3000K) 152lm (2700K) |
| Cable RAL | 9005 Ø2.8mm |

| | | | |
|-------------------------|---------------------------------------|---|-----------------------|
| | 1704-90 CANOPY TYPE B | 1704-91 CANOPY TYPE B RECESSED | PLATES TYPE B |
| Mounting | Ceiling | Recessed | Ceiling |
| Environment | Indoor - Dry location | Indoor - Dry location | Indoor - Dry location |
| Materials | Metal | Metal | Metal |
| Voltage | 120V 50/60Hz | 24Vdc | 120/277V 60Hz |
| Lighting control | On-off / Dimmable 0-10V | Remote driver not included | Dimmable 0-10V |
| Finishes | Matt white Matt gold Matt black | Matt white | Matt white |

Technical Drawing



Finishes

Structure



Matt black



Matt gold



Matt bronze

Canopies



Matt black varnished metal



Matt gold varnished metal



Matt white varnished metal

NOTE:
All luminaires can only be sold with the single rosettes or with the multiple plates.
The reverse is also true: rosettes,multiple plates and bar canopies cannot be sold separately from pendants.
All fixture are tested and guaranteed in their entirety: pendant + rosette, pendant(s) + multiplate or pendant(s) + bar canopy.
Any unauthorized installation will not be deemed compliant.
Check max H dimension in the illustrative drawing.

Codes Interpretation

2304 - 20 - 0611 - N2NV

2304

Year Collection

20

Typology Model

0611

Finish1 Finish2

N2NV

Lighting control Cable Source Wiring

| CODES | SIZE | STRUCTURE | SHADE | DETAILS |
|-------------------|------------------------|-------------------|-------|----------------------------|
| 2304-20-0611-N4NV | suspension | matt gold metal | | wire 157.5" / 3000K |
| 2304-20-0611-N4WV | suspension | matt gold metal | | wire 157.5" / 2700K |
| 2304-20-1111-N4NV | suspension | matt black metal | | wire 157.5" / 3000K |
| 2304-20-1111-N4WV | suspension | matt black metal | | wire 157.5" / 2700K |
| 2304-20-1611-N4NV | suspension | matt bronze metal | | wire 157.5" / 3000K |
| 2304-20-1611-N4WV | suspension | matt bronze metal | | wire 157.5" / 2700K |
| | | | | |
| 1704-90-0600-NXLV | canopy type B | matt gold | | on-off |
| 1704-90-0600-DXLV | canopy type B | matt gold | | dimmable 0-100V |
| 1704-90-0100-NXLV | canopy type B | matt white | | on-off |
| 1704-90-0100-DXLV | canopy type B | matt white | | dimmable 0-100V |
| 1704-90-1100-NXLV | canopy type B | matt black | | on-off |
| 1704-90-1100-DXLV | canopy type B | matt black | | dimmable 0-100V |
| 1704-91-0100-NXLV | canopy type B recessed | matt white | | remote driver not included |

Legenda

| | | | |
|------------------|-------------------------|----------------------------|-------------------------------|
| Lighting Control | D = Dimmable | N = Not dimmable | |
| Cable | X = not suspension lamp | 2 = 2m | 4 = 4m |
| Source | B = Bulb | W = Integrated LED 2700K | N = Integrated LED 3000K |
| Wiring | E = Universal | U = USA with certification | V = USA without certification |

